



February 16, 2026

Private Client  
Private Client  
9800 Kincey Avenue  
Suite 100  
Huntersville, NC 28078

RE: Project: ALAN MIZRAHI  
Pace Project No.: 92842535

Dear Private Client:

Enclosed are the analytical results for sample(s) received by the laboratory on February 05, 2026. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "T. S. Mullis".

Travis Mullis  
travis.mullis@pacelabs.com  
(704)875-9092  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



DC#\_Title: ENV-FRM-HUN1-0083 v05\_Sample Condition Upon Receipt

Effective Date: 05/24/2024

Laboratory receiving samples:

Asheville  Eden  Greenwood  Huntersville  Raleigh  Mechanicsville  Atlanta  Kernersville

Sample Condition Upon Receipt

Client Name:

Huntersville One Time

Project #:

WO#: 92842535

Courier:  Fed Ex  UPS  USPS  Client  Pace  Other: \_\_\_\_\_



Custody Seal Present?  Yes  No Seals Intact?  Yes  No  N/A

Date/Initials Person Examining Contents: MJW 2/5/20

Packing Material:  Bubble Wrap  Bubble Bags  None  Other

Biological Tissue Frozen?

Yes  No  N/A

Thermometer:

IR Gun ID:

ALTUS

Type of Ice:

Wet

Blue

None

Cooler Temp:

1.1

Correction Factor:

Add/Subtract (°C)

0-0

Temp should be above freezing to 6°C

Samples out of temp criteria. Samples on ice, cooling process has begun

Cooler Temp Corrected (°C):

1.1

USDA Regulated Soil (  N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)?  Yes  No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)?  Yes  No

		Comments/Discrepancy:
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Short Hold Time Analysis (<72 hr.)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	6.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Dissolved analysis: Samples Field Filtered?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Includes Date/Time/ID/Analysis Matrix:	SW	
Headspace in VOA Vials (>5-6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	10.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

COMMENTS/SAMPLE DISCREPANCY

Field Data Required?  Yes  No

Lot ID of split containers:

CLIENT NOTIFICATION/RESOLUTION

Person contacted:

Date/Time:

Project Manager SCURF Review:

Date:

Project Manager SRF Review:

Date:



DC#\_Title: ENV-FRM-HUN1-0083 v05\_Sample Condition Upon Receipt

Effective Date: 05/24/2024

\*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC, LLHg

\*\*Bottom half of box is to list number of bottles

\*\*\*Check all unpreserved Nitrates for chlorine

Project #

Empty box for Project #

Laboratory Receiving Location: Asheville  Eden  Greenwood  Huntersville  Raleigh  Mechanicsville  Atlanta  Kernersville

Client: HV One Time Profile/EZ (Circle one) \_\_\_\_\_ Notes \_\_\_\_\_

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)	BP4S-125 mL Plastic H2SO4 (pH < 2) (Cl-)	BP3N-250 mL plastic HNO3 (pH < 2)	BP4Z-125 mL Plastic ZN Acetate & NaOH (>9)	BP4B-125 mL Plastic NaOH (pH > 12) (Cl-)	WGFU-Wide-mouthed Glass Jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H2SO4 (pH < 2)	AG3S-250 mL Amber H2SO4 (pH < 2)	DG94-40 mL Amber NH4Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na2S2O3 (N/A)	VG9U-40 mL VOA Unpreserved (N/A)	DG9V-40 mL VOA H3PO4 (N/A)	KP7U-50 mL Plastic Unpreserved (N/A)	V/GK (3 vials per kit)-VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A - lab)	SP2T-250 mL Sterile Plastic (N/A - lab)	BP3R-250 mL Plastic (NH2)2SO4 (9.3-9.7)	AG9U-100 mL Amber Unpreserved (N/A) (Cl-)	VSGU-20 mL Scintillation vials (N/A)	DG9U-40 mL Amber Unpreserved vials (N/A)			
CC																														
1																								3						
2																							3							
3																							3							
4																														
5																														
6																														
7																														
8																														
9																														
10																														
11																														
12																														

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DENR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers.



LAB USE ONLY - Affix Workorder/Login Label Here

Scan QR Code for instructions

Specify Container Size \*\*

Identify Container Preservative Type\*\*\*

Analysis Requested

Lab Use Only

Proj. Mgr: Travis Mullis

AcctNum / Client ID: 19089

Table #: 19089

Profile / Template: EZ 3368273

Prelog / Bottle Ord. ID: EZ 3368273

Sample Comment

PH= 7.4 @ 3.98 Celsius

PH= 7.3 @ 3.06 Celsius

PH= 7.4 @ 3.06 Celsius

### CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Location Requested (City/State): Pace Analytical Charlotte 9800 Kincey Ave. Suite 100, Huntersville, NC 28078

Contact/Report To: Private Client  
 Phone #: clientemail@clientemail.com  
 E-Mail: clientemail@clientemail.com  
 Cc E-Mail: clientemail@clientemail.com

Invoice To: Private Client  
 Invoice E-Mail: clientemail@clientemail.com  
 Purchase Order # (if applicable):  
 Quote #:

County / State origin of sample(s): North Carolina

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable  Yes  No

Rush (Pre-approval required):  Same Day  1 Day  2 Day  3 Day  Other  DW PWSID # or WW Permit # as applicable:

Date Results Requested:  Same Day  1 Day  2 Day  3 Day  Other  No

Field Filtered (if applicable):  Yes  No

Analysis:

Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID

Matrix \* Comp / Grab

Date Time

Collected or Composite End Time

# Cont.

Res. Chlorine Results Units

Creek-18 bridge

SW Grab

2/5/26 10:00

3

Wolf Point

SW Grab

2/5/26 10:40

3

Pumping station

SW Grab

2/5/26 11:10

3

Time = 3.75 hours total

Mileage = 95 miles total

Additional Instructions from Pace®

Company Name: Pace Analytical Charlotte  
 Street Address: 9800 Kincey Avenue  
 Suite 100  
 Huntersville, NC 28078

Customer Project #: Alan Mizrahi

Project Name: 2/5/2026 Carolina Trace Lake

Site Collection Info/Facility ID (as applicable): 51 Traceway North/Sandh/NK

Time Zone Collected:  AK  PT  MT  CT  ET

Data Deliverables:  Level II  Level III  Level IV

EQUIS  Other

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID

Matrix \* Comp / Grab

Date Time

Collected or Composite End Time

# Cont.

Res. Chlorine Results Units

Time = 3.75 hours total

Mileage = 95 miles total

Additional Instructions from Pace®

Collected By: Travis Mullis - PACE

Signature: Travis Mullis - PACE

Date/Time: 2/5/2026/12:26 PM

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

## Pace Analytical - Huntersville, NC

Sample Delivery Group: L1941717  
Samples Received: 02/06/2026  
Project Number: 92842535  
Description: Alan Mizrahi  
Site: 001  
Report To: Travis Mullis  
9800 Kincey Avenue, Suite 100  
Huntersville, NC 28078

Entire Report Reviewed By:



Nancy McLain  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com

# TABLE OF CONTENTS

<b>Cp: Cover Page</b>	<b>1</b>	<b><sup>1</sup>Cp</b>
<b>Tc: Table of Contents</b>	<b>2</b>	
<b>Ss: Sample Summary</b>	<b>3</b>	<b><sup>2</sup>Tc</b>
<b>Cn: Case Narrative</b>	<b>4</b>	
<b>Sr: Sample Results</b>	<b>5</b>	<b><sup>3</sup>Ss</b>
<b>CREEK-18 BRIDGE L1941717-01</b>	<b>5</b>	
<b>WOLF POINT L1941717-02</b>	<b>6</b>	<b><sup>4</sup>Cn</b>
<b>PUMPING STATION L1941717-03</b>	<b>7</b>	<b><sup>5</sup>Sr</b>
<b>Gl: Glossary of Terms</b>	<b>8</b>	
<b>Al: Accreditations &amp; Locations</b>	<b>9</b>	<b><sup>6</sup>Gl</b>
<b>Sc: Sample Chain of Custody</b>	<b>10</b>	<b><sup>7</sup>Al</b>
		<b><sup>8</sup>Sc</b>

# SAMPLE SUMMARY

## CREEK-18 BRIDGE L1941717-01

Collected by  
Collected date/time  
Received date/time

02/05/26 10:00  
02/06/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Method qPCR	WG2688647	1	02/06/26 15:33	02/06/26 16:05	NY	Mt. Juliet, TN

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

## WOLF POINT L1941717-02

Collected by  
Collected date/time  
Received date/time

02/05/26 10:40  
02/06/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Method qPCR	WG2688647	1	02/06/26 15:33	02/06/26 16:05	NY	Mt. Juliet, TN

<sup>4</sup>Cn

<sup>5</sup>Sr

## PUMPING STATION L1941717-03

Collected by  
Collected date/time  
Received date/time

02/05/26 10:10  
02/06/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Method qPCR	WG2688647	1	02/06/26 15:33	02/06/26 16:05	NY	Mt. Juliet, TN

<sup>6</sup>Gl

<sup>7</sup>Al

<sup>8</sup>Sc

# CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Nancy McLain  
Project Manager



Method qPCR

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
HUMAN BACTEROIDES (HF183/BACR287)	39.5		5.00	1	02/06/2026 16:05	WG2688647

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Gl
- 7 Al
- 8 Sc

Method qPCR

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
HUMAN BACTEROIDES (HF183/BACR287)	U		5.00	1	02/06/2026 16:05	WG2688647

- <sup>1</sup> Cp
- <sup>2</sup> Tc
- <sup>3</sup> Ss
- <sup>4</sup> Cn
- <sup>5</sup> Sr
- <sup>6</sup> Gl
- <sup>7</sup> Al
- <sup>8</sup> Sc

Method qPCR

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
HUMAN BACTEROIDES (HF183/BACR287)	U		5.00	1	02/06/2026 16:05	WG2688647

- <sup>1</sup>Cp
- <sup>2</sup>Tc
- <sup>3</sup>Ss
- <sup>4</sup>Cn
- <sup>5</sup>Sr
- <sup>6</sup>Gl
- <sup>7</sup>Al
- <sup>8</sup>Sc

# GLOSSARY OF TERMS

## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

### Abbreviations and Definitions

RDL	Reported Detection Limit.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
U (Radiochemistry)	Result + Error < MDA.
J (Radiochemistry)	Result < MDA; Result + Error > MDA.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

### Qualifier Description

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.



# ACCREDITATIONS & LOCATIONS

## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1,6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1,4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Gl

<sup>7</sup> Al

<sup>8</sup> Sc

# Internal Transfer Chain of Custody



Rush Multiplier  X  
 Samples Pre-Logged into eCOC

State Of Origin: NC  
 Cert. Needed:  Yes  No

Workorder: 92842535

Workorder Name: ALAN MIZRAHI

Owner Received Date: 2/5/2026 Results Requested By: 2/19/2026

Report To		Subcontract To					Requested Analysis																																																																							
Travis Mullis Pace Analytical Charlotte 9800 Kinsey Ave. Suite 100 Huntersville, NC 28078 Phone (704)875-9092		Pace National 12065 Lebanon Rd Mt. Juliet, TN 37122 Phone (615) 758-5858					<table border="1"> <tr> <td colspan="12">LAB USE ONLY</td> </tr> <tr> <td colspan="12">L1941717</td> </tr> <tr> <td colspan="12">-01</td> </tr> <tr> <td colspan="12">-02</td> </tr> <tr> <td colspan="12">-03</td> </tr> </table>												LAB USE ONLY												L1941717												-01												-02												-03											
LAB USE ONLY																																																																														
L1941717																																																																														
-01																																																																														
-02																																																																														
-03																																																																														
Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers					Human Bacteroides																																																																			
						NA25203																																																																								
1	CREEK-18 BRIDGE	PS	2/5/2026 10:00	92842535001	Drinking	1																																																																								
2	WOLF POINT	PS	2/5/2026 10:40	92842535002	Drinking	1																																																																								
3	PUMPING STATION	PS	2/5/2026 10:10	92842535003	Drinking	1																																																																								
4																																																																														
5																																																																														
Transfers					Released By	Date/Time	Received By	Date/Time	Comments																																																																					
1							<i>[Signature]</i>	2/17/26																																																																						
2																																																																														
3																																																																														
Cooler Temperature on Receipt		°C	Custody Seal Y or N		Received on Ice Y or N		Samples Intact Y or N																																																																							

\*\*\*In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.  
 This chain of custody is considered complete as is since this information is available in the owner laboratory.



Ship To:  
 Pace National  
 12065 Lebanon Rd  
 Mt. Juliet, TN 37122  
 Phone (615) 758-5858

INTER\_LABORATORY WORK ORDER # 92842535

(To be completed by sending lab)

Sending Project No:	92842535
Receiving Project No:	
Check Box for Consolidated Invoice:	<input type="checkbox"/>
Date Prepared:	02/06/26
<b>REQUESTED COMPLETION DATE: 2/19/2026</b>	

Sending Region	IR92-Charlotte	Sending Project Mgr.	Travis Mullis
Receiving Region	IR850-Pace National	External Client	Huntersville One Time
State of Sample Origin	NC	QC Deliverable	STD REPORT

All questions should be addressed to sending project manager.

Requested Reportable Units \_\_\_\_\_ Report Wet or Dry Weight?  Dry Weight  IRWO Lab Need to run? Cert. Needed NC

WORK REQUESTED			
Method Description	Container Type	Quantity of containers	Preservative
Human Bacteroides	SP2T	3	NA2S2O3
			Quantity of Samples
			3
			SI-14BIO
			Acocode Desc
			SUB PASI BIO

Special Requirements: Report B. Standard Report. (B),FR Only no EDD (0)

**FOR ANALYTICAL WORK COMPLETED THIS SECTION ALSO**

Return Samples to Sending Region:  Yes  No

**DISPOSITION of FORM**

Original sent to the receiving lab - Copy kept at the sending lab.

When work completed: Original sent to the ABM at the receiving laboratory. Copies are made to incorporate as needed.

